



# PRODUCT CATALOG

RIGHT PRODUCTS. RIGHT PEOPLE. **RIGHT NOW.**



VOL. 5



## OUR STORY

Levi's Building Components originated as Levi's Nail Coatings in 1978, in a small shop in Bird-In-Hand, Pennsylvania. Under the guidance of Levi Fisher, the founding owner, the industry progressed from coating not only nails, but also screws. Thus, the company name was changed to Levi's Nails and Screws. In 1995, the company's growth required a larger facility which was located in Leola, Pennsylvania. In 2008, Steve Fisher, Levi's son, purchased the company. Under his leadership, more products were added. In 2015, the company's name was changed to Levi's Building Components (LBC) to reflect Levi's product offerings. The company's continuing growth rate ultimately required a larger facility. Additionally, Steve recognized the inefficiency of not having all aspects of the company under one roof. In 2020, the newly constructed building located in Brownstown, Pennsylvania now houses all aspects of Levi's Building Components including customer service, administration, manufacturing, warehousing and shipping.

## WHY CHOOSE US?

Levi's Building Components is a nationally recognized metal roofing product supplier. Over 45 years of Fisher family leadership has enabled the company to grow but remain true to its Christian Principles. Our new larger facility allows for more product offerings, further dedication and commitment to the company's basic core values of integrity, quality, service, collaboration and growth. Each employee plays an integral role in helping LBC meet its goals



while reflecting our mission, vision and core values. Innovations and new methods are met with enthusiasm and considered vital to providing our customers with the very best in products and services. We build honest relationships by delivering on our promises and standing behind our products.

## 10-3 SERVICE:

Here at Levi's Building Components, service is one of our core values, and part of that is our 10am-3pm service experience. What does that mean to our customers? When your order is entered by 10:00 am EDT we aim to ship within the same day even when your screws need painted! If we receive your stock order by 3:00 pm EDT, your order should ship the same day! Quick shipping is a priority for us, with most of our orders shipping complete within the same day or next.

We deliver on our promise to provide real-time customer service, where you will always talk to a person when you call. No bots or automated systems to deal with but a live, dedicated customer service agent.

Quality is at the core of what we do, we stand by our products and so do our customers. We promise to provide top quality products and some of them come with warranties to ensure your satisfaction even on the off chance something goes wrong.

# CORE VALUES

AT THE CORE OF EVERYTHING WE DO

## QUALITY

---

NEXT STEP  
FORWARD  
**GROWTH**

TRUTHFUL, SINCERE  
AND CANDID  
**INTEGRITY**

---

CREATING SOLUTIONS TOGETHER

## COLLABORATION

---

WE DELIVER ON  
OUR PROMISES  
**SERVICE**

**OUR VISION**  
BUILDING THE  
COMMUNITIES  
WE SERVE. TOGETHER.

---

## OUR MISSION

WE PROVIDE METAL ROOFING ACCESSORIES AND BUILDING COMPONENTS TO  
THE COMMERCIAL, RESIDENTIAL AND AGRICULTURAL INDUSTRIES.



# LEVI'S EXPERIENCE

## CHRISTIAN PRINCIPLES

We are a company founded on Christian principles. We strive to honor God first, while working in a way that reflects our core values.

## COMMUNICATION

We provide quality and prompt communication to help create solutions for our customers and employees. We are proactive and transparent in all our interactions, working hard to understand our customers' pain points to reach the best possible solutions. We gather and listen to our customers' feedback. We strive to have open and honest communication with customers, employees and vendors. We know it's okay to say "Let me check, I'll get back to you with that information". We convey the Levi's Experience by offering quality communication using well thought-out design and clear messaging. We give everyone in the company a voice.

## ACCOUNTABILITY

We hold ourselves accountable to our customers and employees, serving them in an honest and ethical manner. We are honest, ethical and respectful in everything we do. We strive for 100% order accuracy. We all take personal responsibility for our own growth and development. We provide ongoing learning opportunities. We empower and engage our co-workers to improve our performance and lower costs.

## TEAMWORK

We encourage a collaborative environment by rewarding teamwork. We demonstrate consistent high-quality service. We ensure we have a well-trained and well-informed sales team. We collaborate to help each other learn, teach and share knowledge. We solve problems by working together to provide solutions.

## GENEROSITY

We value each employee and generously reward them for their hard work. We adapt to market conditions to ensure our valued employees are satisfied. We seriously consider all ideas brought forward and reward those who have implementable ideas. We reward those who work hard. We celebrate company wins by sharing the excitement with employees through events, gifts, giveaways and bonuses. We offer flexibility to employees to change work schedules to fit our business needs as well as their needs. We ask for and value our team members' opinions regarding benefits and company activities.

## CULTURE

We honor our Christian principles by cultivating a creative environment. Positive thinking and empowerment make Levi's a unique place to work. We provide opportunities for advancement. We are always looking for ways to better serve our internal and external customers. We take pride in our growth and potential future as a company and as individuals. We greet our co-workers at the start and end of each day. We promote camaraderie, cooperation and empowerment with healthy competition and a positive work environment.

# OUR NEWEST PRODUCTS!



BLUE FILM  
PAGE 66



AVIATION SNIPS  
PAGE 75



PAGE 74



GREEN POLYESTER BANDING  
& PET METAL SEALS


PAGE 67

# FastVent™ PLUS

PAGE 57



STANDING SEAM



APEX PANEL



APEX CLOSURE

PAGE 61



## ProCap™ MINI-DRILLER™

PAGE 15



## Metalgrip™ CUPPED-HEAD

PAGE 34





## RoLoSHIELD™ PRIME SA

PAGE 72



## ESTIMATED FREIGHT TIMES





# CONTENTS

**2**

## **INTRODUCTION**

Our Story (2), Core Values (4), Levi's Experience (5),  
Estimated Freight Times (8)

**10**

## **FASTENERS**

FastGrip (10), ProCap (14), TuffGrip (16), LoGrip (17), ReGrip (18),  
ProZ (20), Pancake Head (24), Wafer Head (28), MetalGrip (30),  
EZGrip (35), DeckGrip (36), FrameGrip (37), Stitch Screws (38),  
Zip Screws (39)

**42**

## **SNOW RETENTION**

Snow Defenders 4500, 1500, 6500, 7500, PC240, BUSTER,  
85RF and S-5!® Products

**52**

## **ACCESSORIES**

Titebond (52), Uplift Plate (54), Metal Wrap (55), Emseal (56),  
Flovent (58), FastVent Plus (57), DEKS (62), Stretch Wrap (66), Blue  
Film (66), Jamesway Tools (68), Roloshield (69), Fisher Hand Tools (73)

**76**

## **PRODUCT INDEX**

All products in catalog listed with page numbers

**80**

## **NOTES**

Extra space for you to take notes about different products



STITCH  
SCREWS  
AVAILABLE  
PAGE 38

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101HL	#10 x 1"	1/4" Hex	T-17	3,000	26.6
10112HL	#10 x 1 - 1/2"	1/4" Hex	T-17	2,500	27.8
102HL	#10 x 2"	1/4" Hex	T-17	2,000	26.4
10212HL	#10 x 2 - 1/2"	1/4" Hex	T-17	1,500	23.7
103HL	#10 x 3"	1/4" Hex	T-17	1,000	18.3
104HL	#10 x 4"	1/4" Hex	T-17	500	11.8

\* 101HL AND 10112HL are also available without washer

## PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	530
1/2" Ply	Full	305
7/16" OSB	Full	158
2 x Yellow Pine	1"	986
2 x Spruce Pine Fir	1"	1,023
2 x Spruce Pine Fir	1 - 1/2"	1,379

SHEAR
1,900
TENSILE
2,736
TORSIONAL
60



## PULL-OVER STRENGTH


SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	415
AZ55 Galvalume	26	.018	560
AZ55 Galvalume	24	.024	717

# Fastgrip™

## MINI-DRILLER™

MINI  
DRILLER

#10



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101MD	#10 x 1"	1/4" Hex	Reduced Point	3,000	26.8
10112MD	#10 x 1 - 1/2"	1/4" Hex	Reduced Point	2,500	27.9
102MD	#10 x 2"	1/4" Hex	Reduced Point	2,000	27.3
10212MD	#10 x 2 - 1/2"	1/4" Hex	Reduced Point	1,500	23.5
103MD	#10 x 3"	1/4" Hex	Reduced Point	1,000	19.0

### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	525
1/2" Ply	Full	280
7/16" OSB	Full	217
2 x Yellow Pine	1"	850
2 x Spruce Pine Fir	1"	787
2 x Spruce Pine Fir	1 - 1/2"	1,285

SHEAR
1,750
TENSILE
2,486
TORSIONAL
80



### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	398
AZ55 Galvalume	26	.018	667
AZ55 Galvalume	24	.024	767



300 SERIES  
STAINLESS STEEL



ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
91SS	#9 x 1"	1/4" Hex	Sharp Point	3,000	24.2
9114SS	#9 x 1 - 1/4"	1/4" Hex	Sharp Point	2,500	22.7
9112SS	#9 x 1 - 1/2"	1/4" Hex	Sharp Point	2,500	26.1
92SS	#9 x 2"	1/4" Hex	Sharp Point	2,000	24.7
9212SS	#9 x 2 - 1/2"	1/4" Hex	Sharp Point	1,500	22.3
93SS	#9 x 3"	1/4" Hex	Sharp Point	1,000	17.5

#### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	465
1/2" Ply	Full	327
7/16" OSB	Full	180
2 x Yellow Pine	1"	894
2 x Spruce Pine Fir	1"	692
2 x Spruce Pine Fir	1 - 1/2"	1,264

SHEAR
1,280
TENSILE
1,455
TORSIONAL
52



#### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	411
AZ55 Galvalume	26	.018	567
AZ55 Galvalume	24	.024	788



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
141FG	#14 x 1"	5/16" Hex	T-17	2,000	28.6
14112FG	#14 x 1 - 1/2"	5/16" Hex	T-17	1,500	27.8
142FG	#14 x 2"	5/16" Hex	T-17	1,000	23.4
14212FG	#14 x 2 - 1/2"	5/16" Hex	T-17	500	14.2

#### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	621
1/2" Ply	Full	449
7/16" OSB	Full	209
2 x Yellow Pine	1"	992
2 x Spruce Pine Fir	1"	1,294
2 x Spruce Pine Fir	1 - 1/2"	1,597

SHEAR
2,980
TENSILE
4,492
TORSIONAL
175



#### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	535
AZ55 Galvalume	26	.018	743
AZ55 Galvalume	24	.024	1,052





# ProCap™

HI-LO

#10



AVAILABLE IN  
ANY COLOR



QUICK  
SHIPPING

RUST-FREE 304 STAINLESS STEEL CAP

EPDM RUBBER WASHER

1/4" HEX HEAD

FASTENS METAL TO WOOD

#10 SHANK

ZINC PLATED

TYPE 17 POINT

STITCH  
SCREWS  
AVAILABLE  
PAGE 39



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101PC	#10 x 1"	1/4" Hex	T-17	3,000	28.1
10112PC	#10 x 1 - 1/2"	1/4" Hex	T-17	2,500	27.9
102PC	#10 x 2"	1/4" Hex	T-17	2,000	27.5
10212PC	#10 x 2 - 1/2"	1/4" Hex	T-17	1,500	26.1
103PC	#10 x 3"	1/4" Hex	T-17	1,000	19.7

## PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	468
1/2" Ply	Full	346
7/16" OSB	Full	221
2 x Yellow Pine	1"	627
2 x Spruce Pine Fir	1"	607
2 x Spruce Pine Fir	1 - 1/2"	810

## SHEAR

1,890

## TENSILE

2,611

## TORSIONAL

82

## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	423
AZ55 Galvalume	26	.018	690
AZ55 Galvalume	24	.024	813





# ProCap™

## MINI-DRILLER™

MINI  
DRILLER

#10

AVAILABLE IN  
ANY COLOR

QUICK  
SHIPPING



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101PCMD	#10 x 1"	1/4" Hex	Reduced Point	3,000	27.6
10112PCMD	#10 x 1 - 1/2"	1/4" Hex	Reduced Point	2,500	28.3
102PCMD	#10 x 2"	1/4" Hex	Reduced Point	2,000	27.0



STITCH  
SCREWS  
AVAILABLE  
PAGE 39

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
121TG	#12 x 1"	1/4" Hex	T-17	3,000	22.4
12112TG	#12 x 1 - 1/2"	1/4" Hex	T-17	2,500	23.0
122TG	#12 x 2"	1/4" Hex	T-17	2,000	21.3
12212TG	#12 x 2 - 1/2"	1/4" Hex	T-17	1,000	16.8

## PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	429
1/2" Ply	Full	426
7/16" OSB	Full	265
2 x Yellow Pine	1"	885
2 x Spruce Pine Fir	1"	441
2 x Spruce Pine Fir	1 - 1/2"	769

SHEAR
1,780
TENSILE
2,630
TORSIONAL
88



## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	516
AZ55 Galvalume	26	.018	671
AZ55 Galvalume	24	.024	870



LOW PROFILE

#10



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101LGNW*	#10 x 1"	T-25	T-17	3,000	24.6
101LG	#10 x 1"	T-25	T-17	3,000	25.5
10112LG	#10 x 1 - 1/2"	T-25	T-17	2,500	26.0
102LG	#10 x 2"	T-25	T-17	2,000	25.6

\* NW = NO WASHER

#### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	472
1/2" Ply	Full	357
7/16" OSB	Full	200
2 x Yellow Pine	1"	675
2 x Spruce Pine Fir	1"	692
2 x Spruce Pine Fir	1 - 1/2"	1,006

SHEAR
1,880
TENSILE
2,617
TORSIONAL
190



#### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	451
AZ55 Galvalume	26	.018	622
AZ55 Galvalume	24	.024	878



**\*RECOMMENDED TO USE WITH EXPOSED FASTENER SNOW DEFENDERS**

ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
12112RG	#12 x 1 - 1/2"	1/4" Hex	Sharp Point	2,000	30.6
122RG	#12 x 2"	1/4" Hex	Sharp Point	1,500	28.7
12212RG	#12 x 2 - 1/2"	1/4" Hex	Sharp Point	1,000	22.6

**PULL-OUT STRENGTH**

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	545
1/2" Ply	Full	302
7/16" OSB	Full	189
2 x Yellow Pine	1"	764
2 x Spruce Pine Fir	1"	661
2 x Spruce Pine Fir	1 - 1/2"	1,037

SHEAR
2,650
TENSILE
3,332
TORSIONAL
157



**PULL-OVER STRENGTH**

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	484
AZ55 Galvalume	26	.018	666
AZ55 Galvalume	24	.024	942





**300 SERIES  
STAINLESS STEEL**

**#12**

AVAILABLE IN  
**ANY COLOR**

**QUICK  
SHIPPING**



**\*RECOMMENDED TO USE WITH EXPOSED FASTENER SNOW DEFENDERS**

ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
12112RGSS	#12 x 1 - 1/2"	1/4" Hex	Sharp Point	2,000	31.4
122RGSS	#12 x 2"	1/4" Hex	Sharp Point	1,500	28.7
12212RGSS	#12 x 2 - 1/2"	1/4" Hex	Sharp Point	1,000	22.8

#### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	528
1/2" Ply	Full	338
7/16" OSB	Full	191
2 x Yellow Pine	1"	756
2 x Spruce Pine Fir	1"	745
2 x Spruce Pine Fir	1 - 1/2"	926

SHEAR
2,000
TENSILE
2,206
TORSIONAL
98



#### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	427
AZ55 Galvalume	26	.018	622
AZ55 Galvalume	24	.024	952



HI-LO

#10



NO RED RUST – ZINC ALUMINUM ALLOY CAP

5/16" HEX HEAD

EPDM RUBBER WASHER

FASTENS METAL  
TO WOOD

HI - LO THREAD

STITCH  
SCREWS  
AVAILABLE  
PAGE 38

TYPE 17 POINT

#10 SHANK



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101PZ	#10 x 1"	5/16" Hex	T-17	2,500	34.1
10112PZ	#10 x 1 - 1/2"	5/16" Hex	T-17	2,000	31.5
102PZ	#10 x 2"	5/16" Hex	T-17	1,500	27.3
10212PZ	#10 x 2 - 1/2"	5/16" Hex	T-17	1,000	20.8
103PZ	#10 x 3"	5/16" Hex	T-17	500	11.6

#### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	468
1/2" Ply	Full	345
7/16" OSB	Full	197
2 x Yellow Pine	1"	657
2 x Spruce Pine Fir	1"	682
2 x Spruce Pine Fir	1 - 1/2"	736

#### SHEAR

1,860

#### TENSILE

2,446

#### TORSIONAL

89



#### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	635
AZ55 Galvalume	26	.018	828
AZ55 Galvalume	24	.024	997

# ProZ<sup>TM</sup>

## MINI-DRILLER<sup>TM</sup>

MINI  
DRILLER

#10

AVAILABLE IN  
ANY COLOR

QUICK  
SHIPPING



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101PZMD	#10 x 1"	5/16" Hex	Reduced Point	2,500	33.0
10112PZMD	#10 x 1 - 1/2"	5/16" Hex	Reduced Point	2,000	31.5
102PZMD	#10 x 2"	5/16" Hex	Reduced Point	1,500	27.1
10212PZMD	#10 x 2 - 1/2"	5/16" Hex	Reduced Point	1,000	20.8
103PZMD	#10 x 3"	5/16" Hex	Reduced Point	500	12.1

### PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	441
1/2" Ply	Full	377
7/16" OSB	Full	232
2 x Yellow Pine	1"	837
2 x Spruce Pine Fir	1"	386
2 x Spruce Pine Fir	1 - 1/2"	782

SHEAR
1,770
TENSILE
2,580
TORSIONAL
84



### PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	872
AZ55 Galvalume	26	.018	765
AZ55 Galvalume	24	.024	1,120

NO RED RUST – ZINC ALUMINUM ALLOY CAP

EPDM RUBBER WASHER

5/16" HEX HEAD

STITCH  
SCREWS  
AVAILABLE  
PAGE 38

DRILL THROUGH STEEL  
UP TO .210" THICK

#12 SHANK

#3 DRILL POINT

FASTENS METAL TO METAL



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
121PZSD	#12 - 14 x 1"	5/16" Hex	#3	2,500	28.1
12114PZSD	#12 - 14 x 1 - 1/4"	5/16" Hex	#3	2,500	27.9
12112PZSD	#12 - 14 x 1 - 1/2"	5/16" Hex	#3	2,000	27.5
122PZSD	#12 - 14 x 2"	5/16" Hex	#3	1,500	26.1
123PZSD	#12 - 14 x 3"	5/16" Hex	#3	500	19.7

## PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
12 ga HRS	1,223
14 ga HRS	723
16 ga HRS	587
18 ga HRS	418
20 ga HRS	302

## SHEAR

2,800

## TENSILE

4,500

## TORSIONAL

129

## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	577
AZ55 Galvalume	26	.018	855
AZ55 Galvalume	24	.024	1,213
AZ55 Galvalume	22	.030	1,254





ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
1224114PZSD	#12 - 24 x 1 - 1/4"	5/16" Hex	#5	2,500	43.0

## PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
12 ga HRS	806
14 ga HRS	497
16 ga HRS	410
18 ga HRS	268
20 ga HRS	196

SHEAR
2,760
TENSILE
3,246
TORSIONAL
100

## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	561
AZ55 Galvalume	26	.018	710
AZ55 Galvalume	24	.024	1,009
AZ55 Galvalume	22	.030	924






# Pancake Head

ZINC PLATED

#10



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101PH17	#10 x 1"	Phillips/Square	T-17	5,000	33.9
10112PH17	#10 x 1 - 1/2"	Phillips/Square	T-17	2,500	23.6
102PH17	#10 x 2"	Phillips/Square	T-17	2,000	23.1

## PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	464
1/2" Ply	Full	306
7/16" OSB	Full	228
2 x Yellow Pine	1"	704
2 x Spruce Pine Fir	1"	653
2 x Spruce Pine Fir	1 - 1/2"	1,102

SHEAR
1,500
TENSILE
1,930
TORSIONAL
70



## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	467
AZ55 Galvalume	26	.018	626
AZ55 Galvalume	24	.024	992

# Pancake Head


SELF-DRILLING

#3  
DRILL  
POINT

#10

AVAILABLE IN  
ANY COLOR

QUICK  
SHIPPING



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
101PHSD	#10 x 1"	Phillips/Square	#3	5,000	34.9
10112PHSD	#10 x 1 - 1/2"	Phillips/Square	#3	2,500	24.1

## PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	387
1/2" Ply	Full	274
7/16" OSB	Full	201
2 x Yellow Pine	1"	490
2 x Spruce Pine Fir	1"	434
2 x Spruce Pine Fir	1 - 1/2"	646

SHEAR
1,620
TENSILE
1,900
TORSIONAL
77

## PULL-OVER STRENGTH


SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	425
AZ55 Galvalume	26	.018	717
AZ55 Galvalume	24	.024	1,120



# Pancake Head

300 SERIES  
STAINLESS STEEL

#10



ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
101PHSS	#10 x 1"	#2 Square	Sharp Point	5,000	37.9
10112PHSS	#10 x 1 - 1/2"	#2 Square	Sharp Point	2,500	25.9
102PHSS	#10 x 2"	#2 Square	Sharp Point	2,000	31.8

## PULL OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	454
1/2" Ply	Full	352
7/16" OSB	Full	187
2 x Yellow Pine	1"	689
2 x Spruce Pine Fir	1"	578
2 x Spruce Pine Fir	1 - 1/2"	1,169

SHEAR
1,260
TENSILE
1,591
TORSIONAL
53




## PULL OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	394
AZ55 Galvalume	26	.018	635
AZ55 Galvalume	24	.024	920

# Pancake Head

LOW PROFILE

#10



ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
101PHLP	#10 x 1"	#2 Square	Sharp Point	5,000	30.5
10112PHLP	#10 x 1 - 1/2"	#2 Square	Sharp Point	2,500	26.8
102PHLP	#10 x 2"	#2 Square	Sharp Point	2,000	23.2

## PULL-OUT STRENGTH

SUBSTRATE	PENETRATION	PULL-OUT STRENGTH
3/4" Ply	Full	484
1/2" Ply	Full	280
7/16" OSB	Full	196
2 x Yellow Pine	1"	677
2 x Spruce Pine Fir	1"	814
2 x Spruce Pine Fir	1 - 1/2"	909

SHEAR
1,750
TENSILE
2,544
TORSIONAL
83




## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	465
AZ55 Galvalume	26	.018	649
AZ55 Galvalume	24	.024	978

# Wafer T Head

SHARP POINT

#8



ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
8916PWSP	#8 x 9/16"	#2 Phillips	Sharp Point	10,000	34.9
834PWSP	#8 x 3/4"	#2 Phillips	Sharp Point	8,000	34.3
81PWSP	#8 x 1"	#2 Phillips	Sharp Point	5,000	28.4
8114PWSP	#8 x 1 - 1/4"	#2 Phillips	Sharp Point	5,000	32.7
8178PWSP	#8 x 1 - 7/8"	#2 Phillips	Sharp Point	4,000	33.9




# WaferT Head sd

SELF-DRILLING

#2  
DRILL  
POINT

#8

AVAILABLE IN  
ANY COLOR



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
812PWSD	#8 x 1/2"	#2 Phillips	#2	10,000	35.6
834PWSD	#8 x 3/4"	#2 Phillips	#2	10,000	38.9
81PWSD	#8 x 1"	#2 Phillips	#2	8,000	44.1
8114PWSD	#8 x 1 - 1/4"	#2 Phillips	#2	6,000	40.5

GALVANIZED EPDM BONDED WASHER 15MM

5/16" HEX HEAD

FASTENS METAL TO METAL

1022 CARBON STEEL

MECHANICAL GALVANIZED

#3 DRILL POINT

DRILL THROUGH STEEL UP TO .210" THICK

STITCH  
SCREWS  
AVAILABLE  
PAGE 38

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
121434SD	#12 - 14 x 3/4"	5/16" Hex	#3	2,500	27.9
12141SD	#12 - 14 x 1"	5/16" Hex	#3	2,500	31.3
1214114SD	#12 - 14 x 1 - 1/4"	5/16" Hex	#3	2,500	35.6
1214112SD	#12 - 14 x 1 - 1/2"	5/16" Hex	#3	2,000	31.7
12142SD	#12 - 14 x 2"	5/16" Hex	#3	1,500	29.3
1214212SD	#12 - 14 x 2 - 1/2"	5/16" Hex	#3	1,000	23.9
12143SD	#12 - 14 x 3"	5/16" Hex	#3	500	13.7

## PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
12 ga HRS	1,243
14 ga HRS	772
16 ga HRS	617
18 ga HRS	456
20 ga HRS	318

## SHEAR

2,660

## TENSILE

4,288

## TORSIONAL

137

## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	422
AZ55 Galvalume	26	.018	668
AZ55 Galvalume	24	.024	1,010
AZ55 Galvalume	22	.030	1,220





ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
121434SDNW	#12 - 14 x 3/4"	5/16" Hex	#3	2,500	26.2
12141SDNW	#12 - 14 x 1"	5/16" Hex	#3	2,500	24.9
1214114SDNW	#12 - 14 x 1 - 1/4"	5/16" Hex	#3	2,500	30.0
1214112SDNW	#12 - 14 x 1 - 1/2"	5/16" Hex	#3	2,500	32.3
12142SDNW	#12 - 14 x 2"	5/16" Hex	#3	2,000	34.4
1214212SDNW	#12 - 14 x 2 - 1/2"	5/16" Hex	#3	1,500	31.1
12143SDNW	#12 - 14 x 3"	5/16" Hex	#3	1,000	24.3

\* NW = NO WASHER

## PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
12 ga HRS	1,243
14 ga HRS	772
16 ga HRS	617
18 ga HRS	456
20 ga HRS	318

SHEAR
2,660
TENSILE
4,288
TORSIONAL
137



## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	422
AZ55 Galvalume	26	.018	668
AZ55 Galvalume	24	.024	1,010
AZ55 Galvalume	22	.030	1,220



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
1224114SDT5	#12 - 24 x 1 - 1/4"	5/16" Hex	#5	2,500	36.3
1224112SDT5	#12 - 24 x 1 - 1/2"	5/16" Hex	#5	2,000	31.8
12242SDT5	#12 - 24 x 2"	5/16" Hex	#5	1,500	29.3

## PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
12 ga HRS	1,093
14 ga HRS	655
16 ga HRS	523
18 ga HRS	368
20 ga HRS	239

SHEAR
2,470
TENSILE
4,152
TORSIONAL
133



## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	489
AZ55 Galvalume	26	.018	664
AZ55 Galvalume	24	.024	838
AZ55 Galvalume	22	.030	1,180



STITCH  
SCREWS  
AVAILABLE  
PAGE 38

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
1224114SDT5NW	#12 - 24 x 1 - 1/4"	5/16" Hex	#5	2,500	29.9
1224112SDT5NW	#12 - 24 x 1 - 1/2"	5/16" Hex	#5	2,000	27.0
12242SDT5NW	#12 - 24 x 2"	5/16" Hex	#5	2,000	26.1

\* NW = NO WASHER

## PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
12 ga HRS	1,093
14 ga HRS	655
16 ga HRS	523
18 ga HRS	368
20 ga HRS	239

SHEAR
2,470
TENSILE
4,152
TORSIONAL
133



## PULL-OVER STRENGTH

SUBSTRATE	GAUGE	THICKNESS	PULL-OVER STRENGTH
AZ55 Galvalume	29	.014	489
AZ55 Galvalume	26	.018	664
AZ55 Galvalume	24	.024	838
AZ55 Galvalume	22	.030	1,180

# Metalgrip™

## CUPPED-HEAD

SELF-DRILLING

#3  
DRILL  
POINT

#12

AVAILABLE IN  
ANY COLOR

QUICK  
SHIPPING



STITCH  
SCREWS  
AVAILABLE  
PAGE 38

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
121434CH	#12 x 3/4"	5/16" Cupped Hex	#3	2,500	31.1
12141CH	#12 x 1"	5/16" Cupped Hex	#3	2,500	34.3
1214114CH	#12 x 1 - 1/4"	5/16" Cupped Hex	#3	2,500	38.5
1214112CH	#12 x 1 - 1/2"	5/16" Cupped Hex	#3	2,000	34.7
12142CH	#12 x 2"	5/16" Cupped Hex	#3	1,500	30.6






PLASTIC  
SHEETING  
FASTENER

#3  
DRILL  
POINT

#12

AVAILABLE IN  
ANY COLOR

QUICK  
SHIPPING



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
12112EZ	#12 x 1 - 1/2"	1/4" Hex	#3	2,000	28.6

#### PULL-OUT STRENGTH

SUBSTRATE	PULL-OUT STRENGTH
1/2" Ply	324
3/4" Ply	318
7/16" OSB	230
SYP 11"	544
SPF 1"	293
SPF 1 - 1/2"	363

SHEAR
1,560
TENSILE
1,940
TORSIONAL
64






DECK SCREW

#9

#10



## BUCKET QUANTITIES

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BUCKET	LB/BUCKET
8158DS25LB	#8 x 1 - 5/8"	T-25 Star Drive	T-17	4,380	25
92DS25LB	#9 x 2"	T-25 Star Drive	T-17	3,220	25
9212DS25LB	#9 x 2 - 1/2"	T-25 Star Drive	T-17	2,600	25
103DS25LB	#10 x 3"	T-25 Star Drive	T-17	1,720	25
10312DS25LB	#10 x 3 - 1/2"	T-25 Star Drive	T-17	1,540	25
104DS25LB	#10 x 4"	T-25 Star Drive	T-17	1,350	25
105DS25LB	#10 x 5"	T-25 Star Drive	T-17	1,100	25
126DS25LB	#12 x 6"	T-25 Star Drive	T-17	790	25


## MASTER CARTON QUANTITIES

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	BOXES/MC*
92DS1LB*	#9 x 2"	T-25 Star Drive	T-17	133	36
9212DS1LB*	#9 x 2 - 1/2"	T-25 Star Drive	T-17	106	36
103DS1LB*	#10 x 3"	T-25 Star Drive	T-17	72	36
10312DS1LB*	#10 x 3 - 1/2"	T-25 Star Drive	T-17	62	36
104DS1LB*	#10 x 4"	T-25 Star Drive	T-17	52	36
105DS1LB*	#10 x 5"	T-25 Star Drive	T-17	43	36
92DS5LB*	#9 x 2"	T-25 Star Drive	T-17	665	10
9212DS5LB*	#9 x 2 - 1/2"	T-25 Star Drive	T-17	530	10
103DS5LB*	#10 x 3"	T-25 Star Drive	T-17	360	10
10312DS5LB*	#10 x 3 - 1/2"	T-25 Star Drive	T-17	310	10
104DS5LB*	#10 x 4"	T-25 Star Drive	T-17	260	10
105DS5LB*	#10 x 5"	T-25 Star Drive	T-17	215	10

\*SOLD BY MASTER CARTON QUANTITIES ONLY



STRUCTURAL SCREW




## BUCKET QUANTITIES

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BUCKET	LB/BUCKET
5163FGBU	5/16" x 3"	T-30 Star Drive	T-17	500	17.7
5164FGBU	5/16" x 4"	T-30 Star Drive	T-17	500	21.7
5165FGBU	5/16" x 5"	T-30 Star Drive	T-17	500	26.8
5166FGBU	5/16" x 6"	T-30 Star Drive	T-17	250	16.0
388FGBU	3/8" x 8"	T-40 Star Drive	T-17	150	15.9

## CARTON QUANTITIES

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/CARTON	LB/CARTON
5163FGBX	5/16" x 3"	T-30 Star Drive	T-17	50	1.8
5164FGBX	5/16" x 4"	T-30 Star Drive	T-17	50	2.2
5165FGBX	5/16" x 5"	T-30 Star Drive	T-17	50	2.7
5166FGBX	5/16" x 6"	T-30 Star Drive	T-17	50	3.1
388FGBX	3/8" x 8"	T-40 Star Drive	T-17	25	2.7



# Fastgrip™

#12

STITCH



ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
1234ST	#12 - 14 x 3/4" Stitch	1/4" Hex	Sharp Point	3,000	25.9

# Metalgrip™

#14

#1  
DRILL  
POINT

STITCH



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
141478SD	#14 - 1/4" x 7/8" Stitch	5/16" Hex	#1	2,500	31.4

# Metalgrip™

#12

#4  
DRILL  
POINT

STITCH W/O WASHER



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
122478SDT4NW	#12 - 24 x 7/8" Stitch	5/16" Hex	#4	2,500	24.2

# Metalgrip™

CUPPED-HEAD

#14

#3  
DRILL  
POINT

STITCH



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
141478CH	#14 - 1/4" x 7/8" Stitch	5/16" Cupped Hex	#3	2,500	36.0

# ProZ™

#12

STITCH



\* NO HI-LO

ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
1234PZ	#12 - 14 x 3/4" Stitch*	5/16" Hex	Sharp Point	2,500	34.2

# ProZ SD™

#14

#1  
DRILL  
POINT

STITCH




ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
1478PZSD	#14 - 1/4" x 7/8" Stitch	5/16" Hex	#1	2,500	38.6



\* NO HI-LO

ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
1234PC	#12 - 14 x 3/4" Stitch*	1/4" Hex	Sharp Point	2,500	25.9



ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
1234TG	#12 x 3/4" Stitch	1/4" Hex	T-17	3,000	23.4



- 410 series stainless steel
- For gutter applications

ITEM #	DESCRIPTION	HEAD STYLE	POINT	PCS/BOX	LB/BOX
712Z	#7 x 1/2"	1/4 HWH	Sharp Point	12,000	36.4



## Rivets

- Designed to attach trim on standing seam metal roofing, assemble cupolas and other metal fabrication applications
- #43 300 series stainless steel rivets
- Bags of 250
- Rivet tool also available

ITEM #	DESCRIPTION	DIAMETER	LENGTH	PCS/BOX	LBS/BOX
43***	300 Series SS Rivets	1/8"	1 - 1/3"	10,000	30.2
RK65	Rivet Tool	-	-	1	1.3

### AVAILABLE COLORS

Antique Bronze, Aged Copper, Ash Gray, Bone White, Bright White, Brown, Burgundy, Champagne, Charcoal Gray, Clay, Colonial Red, Copper, Crimson Red, Dark Bronze, Evergreen, Fabral Charcoal, Hartford Green, Hemlock Green, Ivory, Light Gray, Mansard Brown, Matte Black, Medium Bronze, Musket Gray, Patina Green, Regal Blue, Regal Red, Regal White, Sandstone, Sierra Tan, Slate Blue, Slate Gray, Stone White, Teal, Terra Cotta



## Screws With Wings



#12

#14

#4  
DRILL  
POINT

- Zinc Plated
- Fastens wood to heavy gauge metal
- Square/Phillips head

ITEM #	DESCRIPTION	HEAD STYLE	DRILL POINT	PCS/BOX	LB/BOX
122PW	#12 - 24 x 2"	#3 Phillips	#4	2,000	31.1
12212PW	#12 - 24 x 2 - 1/2"	#3 Phillips	#4	1,000	14.6
14314PW	#14 - 20 x 3 - 1/4"	#3 Phillips	#4	1,000	34.3
14334PW	#14 - 20 x 3 - 3/4"	#3 Phillips	#4	1,000	38.9



## Paint Pen



- 3-year shelf life
- Allows quick and easy touch-up
- Over 30 available colors
- Store on side after opening for reuse

ITEM #	DESCRIPTION	LB/EACH
PP***	Metal Roofing Touch-Up Paint Pen	.05



## Wedge Anchor



- Carbon Steel, zinc plated
- Creates a secure anchor as wedge expands
- Ideal to anchor objects in solid concrete or grout-filled concrete masonry
- One-piece grip ensures uniform holding capacity that increases as tension is applied

ITEM #	DESCRIPTION	PCS/BOX	PCS/CASE	LBS/BOX
WA383	3/8" x 3"	100	500	9.7
WA38334	3/8" x 3 - 3/4"	100	500	11.7
WA12234	1/2" x 2 - 3/4"	50	250	8.8
WA12414	1/2" x 4 - 1/4"	25	125	6.2
WA12512	1/2" x 5 - 1/2"	25	125	7.4
WA58412	5/8" x 4 - 1/2"	25	125	10.3
WA586	5/8" x 6"	25	125	13.0
WA34512	3/4" x 5 - 1/2"	20	80	14.8
WA347	3/4" x 7"	10	50	8.9
WA3410	3/4" x 10"	10	50	12.1





## Driver Bits

Make short work of installation with quality made and properly sized driver bits available in Square, Phillips and Torx.

ITEM #	DESCRIPTION	PCS/PACK	LBS/PACK
12SQ	#1 Square	100	2.5
22SQ	#2 Square	100	2.5
23SQ	#3 Square	100	2.5
12PH	#1 Phillips	100	2.4
22PH	#2 Phillips	100	2.4
32PH	#3 Phillips	100	2.7
T25BITS	T-25 Star Drive	100	2.6
T30BITS	T-30 Star Drive	100	2.6
T40BITS	T-40 Star Drive	100	2.8
H35BITS	5/32" Hex Head	100	2.1
H732BITS	7/32" Hex Head	100	2.7




## Nut Setters

SPRING

- Spring with ball bearing secures the screw during installation
- Non-magnetic design avoids trapped metal debris
- Works great with our Fastgrip™ SS, ProZ™, and ProCap™ screws

ITEM #	DESCRIPTION	PCS/PACK	LBS/PACK
14SNS	1/4" Spring Nut Setter 2 - 9/16"	100	5.4
516SNS	5/16" Spring Nut Setter 2 - 9/16"	100	6.2
38SNS	3/8" Spring Nut Setter 2 - 9/16"	100	7.4



## Nut Setters

MAGNETIC

- Use with carbon steel fasteners
- Magnetic

ITEM #	DESCRIPTION	PCS/PACK	LBS/PACK
14SHXM	1/4" Hex Lobular Nut Setter (Magnetic) 1 - 7/8"	100	4.4
14HXM	1/4" Hex Lobular Nut Setter (Magnetic) 2 - 9/16"	100	5.7
516SHXM	5/16" Hex Lobular Nut Setter (Magnetic) 1 - 7/8"	100	5.2
516HXM	5/16" Hex Lobular Nut Setter (Magnetic) 2 - 9/16"	100	6.5
38HXM	3/8" Hex Lobular Nut Setter (Magnetic) 2 - 9/16"	100	2.4



# Snow DEFENDER®

Our stainless steel Snow Defender® line is made from quality-grade and heavy-gauge stainless steel that will not corrode. Our non-metal guards are made from Polycarbonate Lexan™, making them durable and resistant to damage from UV rays. Our stainless steel Snow Defender line is backed by a 15-year warranty, and is manufactured from start to finish in the United States. The Snow Defender line is available powder coated or in mill finish. Each Snow Defender receives a high quality powder coating for vibrant and lasting color, with each going through a 7-bath extended process for increased adhesion and durability. Powder coated Snow Defenders are now available in many of the popular textured colors.

## EXPOSED FASTENER



4500



1500

## STANDING SEAM



7500



6500



85RF

## POLYCARBONATE



PC240



BUSTER



Levi's Building Components Snow Defender® snow guards are available in the powder coat color of your choice. Each snow guard is tumbled in ceramic granules to give it a surface texture for better powder coat adhesion. Our super-durable powders offer excellent fade resistance, long-term color, and gloss retention. We offer a variety of powder coating colors to ensure our snow guards will match a wide range of metal roof colors. Color options shown below are for the 85RF, 1500, 4500, 6500 and 7500 Snow Defender® models.

Textured color options are also available.

White	Bone White	Ivory	Light Stone	Sierra Tan	Tan
Clay	Ash Gray	Buckskin	Gold	Copper	Burgundy
Dark Red	Crimson Red	Red	Colonial Red	Brown	Mansard Brown
Pewter Gray	Galvalume	Light Gray	Slate	Fabral Charcoal	Charcoal
Musket Gray	Slate Gray	Patina Green	Avocado Green	Hemlock Green	Green
Forest Green	Hartford Green	Slate Blue	Ocean Blue	Gallery Blue	Heron Blue
Dark Blue	Medium Bronze	Bronze	Dark Bronze	Dark Brown	Black

\*Colors are representative of the paint. Due to printing variation, colors on product may vary.\*



4500



EMBOSSED "V" FOR  
40% GREATER RIGIDITY

INDIVIDUALLY BAGGED,  
DAMAGE-FREE PACKAGING

DESIGNED FOR  
EXPOSED FASTENER  
PANEL APPLICATIONS

POWDER COATED  
OR MILL FINISH

NO CAULK  
REQUIRED


EXCELLENT  
FADE RESISTANCE

16 GAUGE TYPE 304  
STAINLESS STEEL

EPDM RUBBER SEAL



ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SD45	Snow Defender® 4500	50	15.1



**How Many Snow Guards Do You Need?**  
We have a calculator just for you at  
[www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)



1500




INDIVIDUALLY BAGGED,  
DAMAGE-FREE PACKAGING

PATENTED

DESIGNED FOR  
EXPOSED FASTENER  
PANEL APPLICATIONS  
W/ NARROW PURLINS

EXCELLENT FADE  
RESISTANCE



NO CAULK  
REQUIRED


POWDER COATED  
OR MILL FINISH

16 GAUGE TYPE 304  
STAINLESS STEEL

EPDM RUBBER SEAL



ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SD15	Snow Defender® 1500	50	19.3



**How Many Snow Guards Do You Need?**  
We have a calculator just for you at  
[www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)

DAMAGE-FREE PACKAGING

NO CAULK REQUIRED

EXCELLENT  
FADE RESISTANCE

PATENTED

DOES NOT PENETRATE METAL

POWDER COATED  
OR MILL FINISH

TYPE 304  
STAINLESS STEEL

DESIGNED FOR  
STANDING SEAM  
PANELS




This is a regular stainless mill finish snow guard that has been copper plated and polished. Stainless and copper work together making this snow guard different than our normal powder coated copper snow guard. Our copper snow guard will patina over time, along with your real copper metal roof.



ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SD65	Snow Defender® 6500	32	30.9
SDCOP65	Snow Defender® 6500 Copper Plated	32	31.6

\*For standing seam roofing: fits standing seams up to 3/8" wide, and most 1" through 1-3/4" seam heights




## How Many Snow Guards Do You Need?

We have a calculator just for you at  
[www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)





7500 DECO



— This is a regular stainless mill finish snow guard that has been copper plated and polished. Stainless and copper work together making this snow guard different than our normal powder coated copper snow guard. Our copper snow guard will patina over time, along with your real copper metal roof.




ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SD75	Snow Defender® 7500 DECO™	32	30.9
SDCOP75	Snow Defender® 7500 DECO™ Copper Plated	32	31.6

\*For standing seam roofing: fits standing seams up to 3/8" wide, and most 1" through 1-3/4" seam heights




#### How Many Snow Guards Do You Need?

We have a calculator just for you at [www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)



ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SD85RF	Snow Defender® 85RF DECO™	32	22.8

\* The most versatile snow guard for standing seam roofing. Fits vertical seam profiles with S-5!® U, S, N and V clamps (sold separately).




### How Many Snow Guards Do You Need?

We have a calculator just for you at  
[www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)




PC240



**\*SB190**  
ADHESIVE IN-STOCK




ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
PC240	Snow Defender® Polycarbonate Lexan™ PC240	50	6.4




**How Many Snow Guards Do You Need?**

We have a calculator just for you at  
[www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)



ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SDBUS	Snow Defender® Polycarbonate Lexan™ BUSTER	50	18.1



### How Many Snow Guards Do You Need?

We have a calculator just for you at  
[www.SnowDefenderCalculator.com](http://www.SnowDefenderCalculator.com)




- No panel penetration
- Does not violate the panel's thermal movement
- Unequaled holding strength
- Will not damage the roof or finish
- Manufactured from mill finished aircraft quality aluminum
- Made in the USA
- Common S-5! accessories listed below – more available upon request



ITEM #	DESCRIPTION	LB/EACH
S5NGR	S-5!® N Grip Clamp*	0.4
S5S	S-5!® S Clamp*	0.4
S5U	S-5!® U Clamp*	0.4
S5V	S-5!® V Clamp*	0.4
S5CR2	S-5!® Aluminum ColorGard Rail (92")	3.9
S5CRP2	S-5!® Aluminum ColorGard Rail Punched 4" OC (92")	4.0
S5COR	S-5!® CorruBracket TM (bolt not included)	0.2
S5CLIPII	S-5!® Snoclip II (Up to 2" seam height)	0.2
S5CLIPIII	S-5!® Snoclip III	0.3
S5VER	S-5!® Versa Clip	0.1
S547	S-5!® Versa Bracket	0.2
S5NH1.5	S-5!® N 1 - 1/2"	0.4
S5CLIPIIRETRO	S-5!® Snapclip II Retrofit	0.1
S5CLIPIIIRETRO	S-5!® Snapclip III Retrofit	0.2

\*Can be used with SD85RF



ITEM #	DESCRIPTION	LB/EACH
S5E	S-5!® E Clamp	0.2
S5T	S-5!® T Clamp	0.5
S5PV	S-5!® Solar Clip PV Kit	0.1
10S5B	10 mm SS Bolt 5/8" long	0.1
S5TMINI	S-5!® T Mini	0.3
S5UMINI	S-5!® U Mini	0.2
S5B	S-5!® B Clamp	0.4
S5U-H90	S-5!® Universal H90 Clamp	0.3
S5U-H90MINI	S-5!® Universal H90 Mini Clamp	0.1
S5Z	S-5!® Z Clamp	0.4
8M17MFB	8 mm x 17 mm Flange Bolt - 47 Versa Bracket	0.01
8MMNUT	8mm SS Flanged Nut	0.02



# Titebond®

**THE PRO'S ADVANTAGE™**

Titebond® WeatherMaster™ Metal Roof Sealant is a premium-grade, superior polymer formula that offers unbeatable adhesion to all metals including Kynar™ coated metals, aluminum, galvanized steel, copper and most common building materials. It can be extruded in extreme temperatures, remains permanently flexible and will not shrink, adheres well to wet and damp surfaces and is dust and dirt resistant.



WHITE		61001		61041		61011		61021		61031	CLAY		62051		62061		62071		62081
	63002	63012	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		63032	63032	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK
BLACK		61121		62611		62621		61981		61111	BRONZE		61331		61341		61351		61361
	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK
BROWN		61141		61151		61181		61191		61201	*TRANSLUCENT CLEAR		61631		61661				
	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK				
BEIGE		61581		61591		61601		61611		61621	GREEN		61781		61791		61801		61811
	63042	63042	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK
GREEN		61781		61791		61801		61811		61821	BLUE		61831		61841		61881		
	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		
BLUE		62201		62211		62221		62231		62241	GRAY		62401		62411		62421		62431
	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK
GRAY		62401		62411		62421		62431		62441	RED		62451		62461		62481		62491
	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK
RED		61501		61431		61441		61451		61461	TRANSLUCENT CLEAR		61471		61481		61491		61511
	63062	63062	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK		IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK	IN STOCK

ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
T6****	WeatherMaster™ Metal Roof Sealant	12	13.0





# Through the *ROOF!*

When there's a nagging roof leak that others can't fix, or when you don't want to take any chances, use Through the Roof! Its unique co-polymer rubber formula creates a permanent, invisible seal, even when applied in the middle of a rainstorm (it works great on dry surfaces, too). Through the Roof! will stick to almost any roofing surface – metal, plastic, asphalt, wood, concrete and more.

Through the Roof! goes on clear and stays clear, easily blending in with your roof. And unlike silicone, paint sticks to Through the Roof! for a professional, finished look. UV protection keeps it from cracking and yellowing.

ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
TTR14010	Clear Co-Polymer Rubber Elastomeric Sealant	12	9.6

\*Coverage Area 30 LF @ 1/4" Bead






**HOT DIPPED  
GALVANIZED COATED**  
IBC Approved 2006, 2009, 2012,  
2018 for Underground Application

## Post Foundation Anchor System

Uplift Plate™ is designed to help the post frame builder save time and money, and meet or exceed the post uplift requirements. These inexpensive plates can be field-applied with just a framing hammer, eliminating the need for extra tools and time associated with rebar and other uplift technology.



ITEM #	DESCRIPTION	HEIGHT	WIDTH	PCS/BOX	LB/BOX
UPLPLA	Galvanized	6 - 5/8"	3"	50	15.2
UPLPLAHD	Hot Dipped Galvanized	6 - 5/8"	3"	50	16.5

**CAUTION:** Uplift Plate™ is intended for use in concrete applications only.

Metal Wrap is designed to provide a temporary weather resistant barrier between the elements and a builder's metal roofing package. Protect your investment and promote your business at the same time by imprinting your 2-color business logo on Metal Wrap 48" and 54" at no extra charge!



ITEM #	DESCRIPTION	LENGTH	WIDTH	PALLET*	LB/ROLL
MW24	Metal Wrap 24"	500'	24"	10	14.6
MW48	Metal Wrap 48"	500'	48"	20	27.5
MW54	Metal Wrap 54"	500'	54"	20	30.8
MW48L	Metal Wrap 48" (with logo)	500'	48"	20	27.5
MW54L	Metal Wrap 54" (with logo)	500'	54"	20	30.8

\*Note: Rolls per pallet will be confirmed at the time of order. One pallet minimum order.

Tear Strength	34 lbs. per square inch
Thickness	5.5 mil
Fire Rating	Class A (ASTM E-94)
Tensile Strength	High (ASTM D-882)
Balanced Perm Rating	8 Perms (ASTM E-96)
Logo Imprint	2 color - up to 500 square inches




**FREE  
LOGO  
IMPRINT**

\*Note: Logo imprint available on 54" and 48" sizes and only pallet orders.



Ensure a weathertight seal with Emseal®, a self-adhering, flexible foam sealant that expands to fill contours and gaps. Use Emseal® to seal out dust, air, wind-driven snow and moisture through joint details in metal buildings and roofs. Suitable for use on metal, plastic, wood, concrete and other common metal building materials. Emseal® expanding sealant is UV stable and will not dry out and become hard or brittle. The expanding foam sealant maintains a seal during thermal expansion and contraction of building panels. The sealant is self-adhering on one side.



ITEM #	HEIGHT	WIDTH	LENGTH/ROLL	ROLLS/BOX	LBS/BOX
EM1	1"	1"	19.68'	26	21
EM112	1"	1 - 1/2"	13.12'	24	19



FastVent™ Plus provides ventilation and uniform air flow for the proper maintenance of metal roofs. Uniquely engineered breathable closure strips eliminate any leak path into the ridge area by completely sealing against the panel profile. This form fit reduces wind-driven rain problems to a minimum. Closed cell polyethylene completely surrounds the open-cell venting foam.



AG PANEL



R PANEL



STANDING SEAM



APEX PANEL

ITEM #	DESCRIPTION	LENGTH	WIDTH	FT/BOX	PCS/BOX	PCS/PALLET	LB/BOX
FASPLU	FastVent Plus Ag Panel	3'	1 - 3/4"	75'	25	750	3.2
FASPLURP	FastVent Plus R Panel	3'	1 - 3/4"	60'	20	600	3.3
FASPLUSS	FastVent Plus Standing Seam	2' 8"	1 - 3/4"	60'	25	900	3.4
FASPLUAP	FastVent Apex Panel	3'	1 - 3/4"	75'	25	750	4.0



FloVent® 9 is a simple and easy install solution for 3/4" rib panels. The 3/4" high rib 9" on center profile cut allows for a perfect form fit, while the strong adhesive holds the vent in place until fastened with the ridge cap preventing weather damage. It protects your building and prolongs the life of your roof.



ITEM #	DESCRIPTION	LENGTH	WIDTH	PCS/BOX	PCS/PALLET	LB/BOX
FV9	1" for 3/4" Rib Heights	20'	2"	75	150	117.0

Individually packaged. Sold by Gaylord quantities of 75 rolls





SCRIMTAPE

FloVent® is a simple solution which easily installs on varying roof profiles. Protect your building and prolong the life of your roof. The foam construction prevents weather damage.

## FLOVENT 112, 134

- Fits many profiles
- Contractor friendly
- Easy installation with continuous adhesive strip
- Fire retardant and UV stable



ITEM #	DESCRIPTION	LENGTH	WIDTH	PCS/BOX	PCS/PALLET	LBS/BOX
FV112	1 - 1/2" for 7/8" or Lower Rib Heights	10'	2"	10	180	4.5
FV134	1 - 3/4" for 1 - 1/4" Rib Heights	10'	2"	10	180	5.2

## FLOVENT R120

- Fits many profiles
- Contractor friendly
- Easy installation with continuous adhesive strip
- Fire retardant and UV stable



ITEM #	DESCRIPTION	LENGTH	WIDTH	PCS/BOX	PCS/PALLET	LBS/BOX
FVR120	1" thick for 7/8" or Lower Rib Heights	20'	2"	10	300	7.2

## FLOVENT R115

- Fits many profiles
- Contractor friendly
- Easy installation with continuous adhesive strip
- Fire retardant and UV stable
- Economical alternative to FloVent® R120



ITEM #	DESCRIPTION	LENGTH	WIDTH	PCS/BOX	PCS/PALLET	LBS/BOX
FVR115	1" for 7/8" or Lower Rib Heights	20'	1 - 1/2"	150	300	97.5

## QUICKLATH

A quick and easy spacer material to use when installing a metal roof over existing shingles...the better way!

- Cross linked polyethylene
- Use multiple layers to even out existing roof inconsistencies
- Allows airflow and ventilation between the old and new roofing material
- Creates smoother roof panels (no warped wood spacers)
- Very simple to use and cuts easily
- Use in place of wood furring strips



ITEM #	DESCRIPTION	WIDTH	LENGTH	FT/ROLL	ROLL/BX	LBS/BX	PCS/PALLET
QUILAT	QuickLath	2 - 1/2"	300'	150'	2	6.6	36

## BUTYL TAPE

Protect and seal trims, seams and vents on metal roofs with long-lasting protection against the elements. Achieve a reliable and superior seal which easily adheres to multiple materials.

- Greater cohesive strength
- Superior adhesive strength
- Withstands extreme roof temperatures
- Cold flow resistant



ITEM #	DESCRIPTION	ROLL/CS	PCS/PALLET	LBS/CS
BT316	3/16" Bead x 25'	48	1,440	36.0
BT38	3/8" x 3/32" x 45'	48	1,440	62.1
BT12	1/2" x 3/32" x 50'	20	1,200	40.9
BT34	3/4" x 3/32" x 50'	14	840	40.2
BT1	1" x 3/32" x 50'	10	400	39.0
BT78	7/8" x 3/16" x 25' Double Bead	24	720	59.9
BT212	2 - 1/2" x 3/16" x 20' Triple Bead	6	360	20.5

## CLOSURE STRIPS

High-density foam filler strip available with an adhesive that stays tacky even in cold weather. Other profiles available upon request.

- Available with or without adhesive
- 1.5 lb. - 2 lb. density
- Cross-linked polyethylene



ITEM #	DESCRIPTION	WIDTH	LENGTH	PCS/BX	LBS/BX	BXS/PALLET
34COG	3/4" High Rib Outer w/glue	1"	36"	100	4.9	36
34CIG	3/4" High Rib Inner w/glue	1"	36"	100	3.4	52
34CO	3/4" High Rib Outer w/o glue	1"	36"	100	3.9	36
34CI	3/4" High Rib Inner w/o glue	1"	36"	100	2.6	52
34SRG	Strong Rib Outer w/glue	1"	36"	100	5.1	36
PDCG	Panel Drain Out w/glue (symmetrical)	1"	36"	100	4.6	52
RPCO	R Panel Outer w/o glue	1"	36"	100	6.0	24
RPCI	R Panel Inner w/o glue	1"	36"	100	3.4	24
RPCOG	R Panel Outer w/glue	1"	36"	100	7.0	24
RPCIG	R Panel Inner w/glue	1"	36"	100	4.1	36
APCOG	Apex Panel Outer w/glue	1"	36"	100	5.0	36
APCI	Apex Panel Inner w/o glue	1"	36"	100	2.0	52

### 3/4" HIGH RIB



### R PANEL



### STRONG RIB



### PANEL DRAIN



### APEX



## UNIVERSAL CLOSURE

An economical option to seal and fill any space under ridge caps, trim and other openings between metal panels. Universal Closure is made of open cell polyurethane foam and easily compresses or expands as necessary to fill gaps between panels.

- Long lasting polyurethane foam
- Flexible open cell design compresses and expands easily to fill gaps
- Easy to install 25' rolls with adhesive strip



ITEM #	DESCRIPTION	WIDTH	LENGTH	HEIGHT	PCS/BAG	LBS/ROLL	PCS/PALLET
UC11	Universal Closure	1"	25'	1"	10	2.5	200
UC112	Universal Closure	1 - 1/2"	25'	1"	10	3.3	150



Roof boots for metal roofs that give long lasting performance from a proven leader in the industry. DEKS roof boots are easy to install and provide a cone design that conforms easily to a range of pipe sizes. Clearly marked cutting grooves make it easy to size correctly.

## ROUND PIPE FLASHING

- Contractor friendly
- Cone design seals securely
- Clearly marked cutting grooves
- Long lasting performance
- 20-year DEKS warranty
- Superior high and low temperature resistant
- Available in EPDM 500 black & gray
- Hi-Temp available in red & gray (selected sizes)

ITEM #	DESCRIPTION	PCS/BOX	LBS/BOX
RD1	#1: 1/4" - 2 - 1/2"	10	2.2
RD2	#2: 1 - 3/4" - 3 - 1/4"	10	3.8
RD3*	#3: 1/4" - 5"	10	5.5
RD4	#4: 3" - 6 - 1/4"	10	9.8
RD5*	#5: 4 - 1/4" - 7 - 1/2"	5	6.5
RD6	#6: 5" - 9"	5	8.8
RD7	#7: 6" - 11"	5	11.2
RD8*	#8: 7" - 13"	5	13.2
RD9	#9: 10" - 19"	5	11.3

\*Additional colors available in #3, #5, and #8 Round: Dark Blue, White, Brown, Terra Cotta, Light Blue, Bright Red, Dark Green, Light Green. 15 pcs/box for #3, 10 pcs/box for #5, and 5 pcs/box for #8.

TEMPERATURE RESISTANCE	EPDM	SILICONE
High temp. resistance: Constant	115°C (239°F)	200°C (392°F)
High temp. resistance: Intermittent	150°C (302°F)	250°C (482°F)
Low temperature resistance	-50°C (-58°F)	-50°C (-58°F)
Tensile set max	10MPa (1450psi)	5MPa (700psi)
Compression set max	0.25	0.5





Roof boots for metal roofs that give long lasting performance from a proven leader in the industry. DEKS roof boots are easy to install and provide a cone design that conforms easily to a range of pipe sizes. Clearly marked cutting grooves make it easy to size correctly.


## SQUARE PIPE FLASHING

- Contractor friendly
- Cone design seals securely
- Clearly marked cutting grooves
- Long lasting performance
- 20-year DEKS warranty
- Superior high and low temperature resistant
- Available in EPDM 500 black & gray
- Hi-Temp available in red & gray (selected sizes)

ITEM #	DESCRIPTION	PCS/BOX	LBS/BOX
SQ1	#1: 1/4" - 2"	15	3.3
SQ2	#2: 1/4" - 3"	20	5.7
SQ3	#3: 1/4" - 5"	20	11.0
SQ4	#4: 3" - 7"	10	9.8
SQ5	#5: 4" - 8"	10	13.0
SQ6	#6: 5" - 9"	10	17.6
SQ7	#7: 6" - 12"	10	22.4
SQ8	#8: 7" - 14"	5	13.2
SQ9	#9: 9" - 20"	5	11.3



EPDM Gray



EPDM Black



Red Silicone  
Hi-Temp

TEMPERATURE RESISTANCE	EPDM	SILICONE
High temp. resistance: Constant	115°C (239°F)	200°C (392°F)
High temp. resistance: Intermittent	150°C (302°F)	250°C (482°F)
Low temperature resistance	-50°C (-58°F)	-50°C (-58°F)
Tensile set max	10MPa (1450psi)	5MPa (700psi)
Compression set max	0.25	0.5



Roof boots for metal roofs that give long lasting performance from a proven leader in the industry. DEKS roof boots are easy to install and provide a cone design that conforms easily to a range of pipe sizes. Clearly marked cutting grooves make it easy to size correctly.


## SQUARE BASE EXTREME ANGLE

ITEM #	DESCRIPTION	PCS/BOX	LBS/BOX
EA3BLA	#3: 1/4" - 6 - 1/4"	5	5.4
EA3HTRED	#3: 1/4" - 6 - 1/4" Hi-Temp (Red Only)	5	5.4



## ROUND BASE RETROFIT

ITEM #	DESCRIPTION	PCS/BOX	LBS/BOX
RF1	#1: 3/4" - 2 - 3/4"	10	4.0
RF2	#2: 2" - 7 - 1/4"	5	5.8
RF3	#3: 3 - 1/4" - 10"	5	9.5



## DEKSTRIP™

- Gray TPE has a continuous service temperature range of -58°F to +240°F
- Serpentine edges stretch up to 25% for added length
- Paintable after installation
- Expands around almost any profile – ideal for square ducts, chimneys, skylights
- Absorbs vibration and handles expansion

ITEM #	DESCRIPTION	WIDTH	LENGTH	PCS/BOX	LBS/BOX
DEKSTR9	9" Dekstrip	9"	75'	1	30.1
DEKSTR12	12" Dekstrip	12"	75'	1	36.6
DEKSTR109	9" Dekstrip	9"	10'	1	4.9
DEKSTR18	18" Dekstrip	18"	50'	1	35.0







Roof boots for metal roofs that give long lasting performance from a proven leader in the industry. DEKS roof boots are easy to install and provide a cone design that conforms easily to a range of pipe sizes. Clearly marked cutting grooves make it easy to size correctly.

## DEK-CAP™

- Universal end cap flashing
- Flexible, corrosion resistant aluminum base conforms to the majority of standing seam roof panels
- Continuous service temperature range of -40°F to +250°F

ITEM #	DESCRIPTION	WIDTH	LENGTH	HEIGHT	PCS/BOX	LBS/BOX
UNIDEKCAP	Dek-Cap™	7 - 1/4"	5 - 3/4"	3 - 5/16"	10	3.0



## DEKFAST WASHER


- Use with most #12 screws metal to wood or metal to metal
- Recommended for use with polycarbonate skylight panels/side light panels

ITEM #	DESCRIPTION	DIAMETER	PCS/PACK	LBS/PACK
POLYWASHER12	Poly Washer - Gray	19mm	250	1.09



## SQUARE COMBO RETROFIT

ITEM #	DESCRIPTION	PCS/BOX	LBS/BOX
SC3	#3: 1/4" - 5"	15	10.4
SC6	#6: 5" - 9"	10	16.0
SC9	#9: 9 - 1/4" - 20"	5	29.6
SC10	#10: 16" - 29 - 1/2" (Black Only)	1	16.7
SC6HTRED	#6: 5" - 9" Hi-Temp (Red Only)	5	12.7
SC9HTRED	#9: 9 - 1/4" - 20" Hi-Temp (Red Only)	5	30.4



## STRETCH WRAP

High quality Stretch Wrap banded plastic wrap has excellent cohesion and holding strength. With 80 - 90 gauge thickness, Stretch Wrap is not easily punctured or torn.



- Dispenser with every box of 5" Wrap
- Custom sizes may be available upon request

CAST FILM	BLOWN FILM
Clear	Hazy
High Gloss	Dull
Easy Stretch	Tough
Quiet Unwind	Noisy Unwind
Tear-Resistant	Tear-Resistant
Non-Migratory Cling	Migratory Cling
Excellent Gauge Control	Less Exact Gauge Control
Good Puncture	Outstanding Puncture

ITEM #	DESCRIPTION	USE	WIDTH	LENGTH	ROLLS/BX	ROLLS/PALLET	LBS/BX
SW0580	5" x 1,000' Cast 80 Gauge Roll	HAND	5"	1,000'	12	60	21.2
SW1280	12" x 1,500' Cast 80 Gauge Roll	HAND	12"	1,500'	4	60	26.0
SW1890	18" x 1,500' Cast 90 Gauge Roll	HAND	18"	1,500'	4	48	44.4
SW2090*	20" x 5,000' Cast 90 Gauge Roll	MACHINE	20"	5,000'	**	40	38.8
SW05DISP	5" Dispenser	HAND					

\*Sold by pallet only

## BLUE FILM

Levi's Blue Film is an excellent choice for temporary protection of your metal panels and other similar surfaces. This protective masking product provides 90-day UV protection and has an acrylic adhesive that allows for clean removal.

- Minimal adhesion build up
- Acrylic adhesive
- 90-day UV stable
- Excellent protection for most coated and uncoated metals
- Custom sizes available by special order

ITEM #	DESCRIPTION	PALLET	LBS/ROLL
BLU123000	12" x 3,000' mil Blue Protective Film Roll	48 Rolls	24
BLU203000	20" x 3,000' mil Blue Protective Film Roll	32 Rolls	42
BLU401500	40" x 1,500' mil Blue Protective Film Roll	25 Rolls	44
BLU403000	40" x 3,000' mil Blue Protective Film Roll	16 Rolls	84

Adhesion to Steel	3.0 to 6.0
Tack Level	Medium
Tensile Strength	7
Elongation (%)	325
Thickness	2 mils




## GREEN POLYESTER BANDING

Our green embossed polyethylene terephthalate strapping is an alternative to steel strapping for your metal or lumber packages. The advanced performance of polyester straps absorbs high impact, does not develop rust and has no sharp edges, making it safer to handle than steel. The green PET strapping can be secured using metal seals or seal-less, simply using either a manual or battery-powered hand tool. Metal seals are sold separately.

- Polyester strapping 5/8" x 0.035" x 4,000'
- 1,400 lb resistance
- 16 x 6 diameter core
- Use for banding metal coils

ITEM #	DESCRIPTION	LENGTH	WIDTH	ROLLS/PALLET	LBS/PALLET
PET58035	5/8" x 0.035" x 4,000', 16 x 6 Polyester Green Embossed Banding	4,000'	5/8"	28	957.6




## PET METAL SEALS

Our open galvanized metal seals for polyester or polyethylene terephthalate strapping have a serrated design on the inside of the seals so that it grips into the strap when crimped with the sealer. Our serrated seals are designed to be used with a sealer or crimper, forming a heavy duty grip on polyester strapping. Compatible with a 5/8" deluxe strapping sealer.

- 5/8" seal size
- Serrated edges

ITEM #	DESCRIPTION	PCS/BOX	LBS/BOX
METSEALS58	PET Metal Seals - 5/8" seal size	1,000	20.3



ITEM #	DESCRIPTION	PCS/BOX	LB/BOX
SLITTER	Metal and Vinyl Slitter	1	2.0

CALL FOR LARGE QUANTITY DISCOUNTS

# **ROLOSHIELD™**



ROLOSHIELD PLUS




ROLOSHIELD PRO



ROLOSHIELD PRIME



ROLOSHIELD EXTREME



ROLOSHIELD PRIME SA





Contractor friendly RoloShield™ is lightweight, stronger than felt and is faster to install. Use fewer rolls to cover more roof and lower your installed cost by using this 100% polypropylene synthetic roofing underlayment. RoloShield™ lays flat and is water resistant with superior drapability in valleys and on ridges and hips.

## ROLOSHIELD™ PLUS

- Slip resistant
- 10x lighter per square than 30# felt
- UV resistant up to 60 days
- Pre-printed nailing pattern
- 7.5x stronger than 15# felt



ITEM #	DESCRIPTION	ROLLS/PALLET	LBS/ROLL
ROLOPLU	RoloShield™ Plus	64	21.1



## ROLOSHIELD™ PRO

- Slip resistant
- 10x lighter per square than 30# felt
- UV resistant up to 60 days
- Pre-printed nailing pattern
- 10x stronger than 15# felt



ITEM #	DESCRIPTION	ROLLS/PALLET	LBS/ROLL
ROLOPRO	RoloShield™ Pro	56	22.0







# ROLOSHIELD™



Contractor friendly RoloShield™ is lightweight, stronger than felt and is faster to install. Use fewer rolls to cover more roof and lower your installed cost by using this 100% polypropylene synthetic roofing underlayment. RoloShield™ lays flat and is water resistant with superior drapability in valleys and on ridges and hips.

## ROLOSHIELD™ PRIME

- Slip resistant
- 10x lighter per square than 30# felt
- UV resistant up to 90 days
- Pre-printed nailing pattern
- 7.5x stronger than 30# felt



ITEM #	DESCRIPTION	ROLLS/PALLET	LBS/ROLL
ROLOPRI	RoloShield™ Prime	42	32.0

## ROLOSHIELD™ EXTREME

- Slip resistant
- 10x lighter per square than 30# felt
- UV resistant up to 90 days
- Pre-printed nailing pattern
- 10x stronger than 30# felt



ITEM #	DESCRIPTION	ROLLS/PALLET	LBS/ROLL
ROLOEXT	RoloShield™ Extreme	36	38.0



RoloShield™ Prime SA is a premium roofing underlayment with 45 mil thickness that comes in a 2 square roll weighing 40lbs. Designed to be used under asphalt, metal, tile, slate and shingles. RoloShield™ Prime SA protects roofing structures against water from wind-driven rain and ice dams.

This self-adhering and slip resistant underlayment is contractor friendly, and allows for speedy installations with its split release liner. RoloShield™ Prime SA is Class A fire rated, code approved with Intertek CCRR and Miami-Dade approvals. The modified bitumen adhesive material performs excellent in both high and low temperatures with a performance range of -40°F to 260°F



## ROLOSHIELD™ PRIME SA

- Installs in most hot weather conditions
- Split liner for easy installation
- Meets or exceeds industry standards and residential/commercial codes - ASTM D-1970
- Self-seals around nails, staples and screws
- High temperature resistance of 260°F
- Excellent for under metal, slate, shingle or tile

ITEM #	LENGTH	LB/ROLL	WIDTH/ROLL	SQ/ROLL	ROLLS/PALLET	LBS/PALLET
ROLOPRIMESA	72'	40	36"	2	25	1,000



# Fisher<sup>TM</sup>

## H a n d T o o l s



AVIATION SNIPS



CAULK GUN



WORKGRIP GLOVES

### WORKGRIP GLOVES

Fisher Hand Tools™ WorkGrip™ gloves are a quality, cost effective multipurpose work glove. The nitrile coating makes for a strong grip and the breathable lightweight knit means these gloves can be comfortably worn for an extended period of time. For additional protection, use our Cut Resistant Cut 5 gloves with touch screen compatibility.

- Breathable knit for comfortable extended use
- Lightweight construction
- Cut-resistant (Cut 5)
- Nitrile coating for a strong grip
- Touch screen compatible (Cut 5)



ITEM #	DESCRIPTION	SIZE	PAIRS/BOX	LBS/BOX
WGC5S	WorkGrip Gloves Cut 5	S	60	9.4
WGC5M	WorkGrip Gloves Cut 5	M	60	9.7
WGC5L	WorkGrip Gloves Cut 5	L	60	11.2
WGC5XL	WorkGrip Gloves Cut 5	XL	60	12.2
WGS	WorkGrip Gloves	S	60	6.3
WGM	WorkGrip Gloves	M	60	6.7
WGL	WorkGrip Gloves	L	60	7.3
WGXL	WorkGrip Gloves	XL	60	7.8

### CAULK GUN

Fisher Hand Tools™ Caulk Gun features a 360° rotary steel riveted carriage, a 12:1 thrust ratio, built-in puncture tool and drip-less design. Quickly handle caulking jobs with the easy-to-use squeeze grip.

- 360° rotary steel riveted carriage
- Dripless design
- Easy to use squeeze grip
- 12:1 thrust ratio
- Built-in puncture tool



ITEM #	DESCRIPTION	SIZE	PCS/BOX	LBS/BOX
FCG30	Caulk Gun 12:1 Ratio	10 oz	12	6.3



## AVIATION SNIPS

Fisher Hand Tools™ Aviation Snips are featured with drop forged chrome blades and serrated edges. Made for easy and precise on-site cutting of metal panels. With the strength to cut 18 gauge stainless, these aviation snips are a must have for any metal panel job.

- Serrated edges
- Cuts metal panels
- HVAC, banding and more
- Drop forged chrome blades
- Convenient markings

ITEM #	DESCRIPTION	GRIP COLOR	CUT LENGTH	PCS/BOX	LBS/BOX
ATSLC	Left Cut	Red	1 - 1/2"	6	5.6
ATSRC	Right Cut	Green	1 - 1/2"	6	5.6
ATSSC	Straight Cut	Yellow	1 - 11/16"	6	5.8
OTSLC	Offset Left Cut	Red	1 - 1/4"	6	6.2
OTSRC	Offset Right Cut	Green	1 - 1/4"	6	6.2
VOTSLC	Vertical Offset Left Cut	Red	1 - 3/16"	6	6.7
VOTSRC	Vertical Offset Right Cut	Green	1 - 3/16"	6	6.7
LNOSLC	Long Cut Offset Left	Red	2 - 3/8"	6	6.9
LNOSRC	Long Cut Offset Right	Green	2 - 3/8"	6	6.9
SPS10	Straight Pattern Aviation Snip	Fisher Green	2 - 5/16"	6	7.3
DCPS10	Circular Pattern Aviation Snip	Fisher Green	2 - 3/16"	6	6.8
SEAMER	Straight Hand Seamer	Gray	-	6	9.3

**LIMITED LIFETIME WARRANTY:** Visit [fisherhandtools.com](http://fisherhandtools.com) for more information

# PRODUCT INDEX

AVIATION SNIPS.....	75
BLUE FILM.....	66
BUTYL TAPE.....	60
CAULK GUN.....	74
CLOSURE STRIPS.....	61
CONCRETE WEDGE ANCHOR.....	40
DECKGRIP.....	36
DEKCAP.....	65
DEKS ROUND BASE RETROFIT.....	64
DEKS ROUND PIPE FLASHING.....	62
DEKSTRIP.....	64
DEKS SQUARE BASE EXTREME ANGLE.....	64
DEKS SQUARE COMBO RETROFIT.....	65
DEKS SQUARE PIPE FLASHING.....	63
DEKSWASHER.....	65
DRIVER BITS.....	41
EMSEAL.....	56
EZGRIP.....	35
FASTGRIP #14.....	13
FASTGRIP #10 HI-LO.....	10
FASTGRIP MINI DRILLER.....	11
FASTGRIP #9 STAINLESS STEEL.....	12
FASTVENT PLUS.....	57
FLOVENT 9.....	58
FLOVENT 112, 134.....	59
FLOVENT R115.....	59
FLOVENT R120.....	59
FRAMEGRIP.....	37
GREEN POLYESTER BANDING.....	67
JAMESWAY TOOLS SLITTER.....	68
LOGRIP.....	17
MAGNETIC NUT SETTERS.....	41
METALGRIP CUPPED HEAD.....	34
METALGRIP #3 W/O WASHER.....	31
METALGRIP #3 W/WASHER.....	30
METALGRIP #5 W/O WASHER.....	33
METALGRIP #5 W/WASHER.....	32
METAL WRAP.....	55
PANCAKE HEAD LOW PROFILE.....	27
PANCAKE HEAD SELF DRILLING.....	25
PANCAKE HEAD STAINLESS STEEL.....	26
PANCAKE HEAD ZINC PLATED.....	24



# PRODUCT INDEX

PET METAL SEALS.....	67
PROCAP #10.....	14
PROCAP MINI DRILLER.....	15
PROZ #10 HI-LO.....	20
PROZ MINI DRILLER.....	21
PROZ STITCH.....	38
PROZ SD #3.....	22
PROZ SD #5.....	23
QUICKLATH.....	60
REG RIP.....	18
REG RIP STAINLESS STEEL.....	19
RIVETS.....	39
ROLOSHIELD EXTREME.....	71
ROLOSHIELD PLUS.....	70
ROLOSHIELD PRIME.....	71
ROLOSHIELD PRIME SA.....	72
ROLOSHIELD PRO.....	70
SCREWS WITH WINGS.....	40
SNOW DEFENDER 1500.....	45
SNOW DEFENDER 4500.....	44
SNOW DEFENDER 6500.....	46
SNOW DEFENDER 7500 DECO.....	47
SNOW DEFENDER 85RF.....	48
SNOW DEFENDER BUSTER.....	50
SNOW DEFENDER PC240.....	49
SPRING NUT SETTERS.....	41
STITCH SCREWS.....	38
STRETCH WRAP.....	66
S-5!.....	51
THROUGH THE ROOF!.....	53
TITEBOND.....	52
TOUCH-UP PAINT PEN.....	40
TUFFGRIP.....	16
UNIVERSAL CLOSURES.....	61
UPLIFT PLATE.....	54
WAFER HEAD.....	28
WORKGRIP GLOVES.....	74
ZIP SCREWS.....	39

# MARKETING MATERIALS

If you are a supplier of Levi's Building Components® products, and would like to use our product images on your website or promotional materials, you may download those image files by scanning the QR code below and filling out the form. When you are done filling out the form, you will be redirected to another page where you can then select the images that you would like to download. Included in our marketing materials you will find product photography, logos, digital assets, printed materials and more!



*Available Items: Sell Sheets, Product Photography, Logos, Brochures, Banners, Display Boards and More!*

# TERMS & CONDITIONS

## PAYMENT TERMS

Net 30 days pending credit approval. Orders paid with credit card will incur a 5% processing fee.

## PRICES

Call for a price list. Prices are subject to change without notice.

## RETURNS

Returned products will be subject to a 15% restocking fee. All returns must be approved and in resale condition. Non-stock items are not refundable. Buyer is liable for the return shipping costs.

## FREIGHT TERMS

FOB unless order qualifies for free shipping. Free shipping is on orders of \$3,000.00 or more. Free shipping only applies to the lower 48 states. Non-stock items do not qualify for free shipping. Accessorial charges such as residential delivery, job-site delivery, delivery appointment, redelivery, lift gate, etc. may be added to the invoice or on a separate invoice without notice.

## WARRANTY

Levi's Building Components will replace any product that is found defective by Levi's Building Components within 180 days after the original buyer invoice date unless otherwise noted per the product information. Visit our website for additional warranty information.

## SCREWS

Pricing is per 1,000 pieces at 250 per bag. However, if not specified, screws may be sent in bulk.

## BROKEN CARTONS

We ship faster and more efficiently with full carton orders. Broken cartons may delay the process. Add 25% for broken cartons on metal roofing sealant, butyl tape and pipe flashing (only black/gray EPDM and red/gray silicone). Other products will incur broken box fees as listed.

## SNOW DEFENDER

\$75.00 setup charge for custom colors that are not listed on our snow guard color chart. Special order colors must be 500 pieces or more for exposed fastener, or 160 pieces or more for standing seam.

## DISCLAIMERS

Weights shown are approximate. Information on the price list is subject to change without notice.

# NOTES











**FASTENERS**  
**SNOW RETENTION**  
FISHER HAND TOOLS  
**HARDWARE**  
**CLOSURES**  
**RIDGE VENTS**  
UNDERLAYMENTS  
**SEALANTS**  
AND MORE ROOFING ACCESSORIES!

400 Burkholder Drive, Ephrata PA 17522  
(877) 897-7020  
[www.snowguards.biz](http://www.snowguards.biz)  
[www.levisbuildingcomponents.com](http://www.levisbuildingcomponents.com)